



Coal

2002 Facts at a Glance

Classification: Nonrenewable Energy Source

Percent of energy produced in US: 31.7% (22.5 Q)

Percent of energy consumed in US: 22.8% (22.2 Q)

Major uses: electricity, industry

What Is Coal?

Coal is a **fossil fuel** created from the remains of plants that lived and died about 100 to 400 million years ago when parts of the earth were covered with huge swampy forests. Coal is classified as a **nonrenewable** energy source because it takes millions of years to form.

The energy we get from coal today comes from the energy that plants absorbed from the sun millions of years ago. All living plants store solar energy through a process known as photosynthesis.

When plants die, this energy is usually released as the plants decay. Under conditions favorable to coal formation, however, the decay process is interrupted, preventing the release of the stored solar energy. The energy is locked into the coal.

Millions of years ago, dead plant matter fell into swampy water and over the years, a thick layer of dead plants lay decaying at the bottom

of the swamps. Over time, the surface and climate of the earth changed, and more water and dirt washed in, halting the decay process. The weight of the top layers of water and dirt packed down the lower layers of plant matter. Under heat and pressure, this plant matter underwent chemical and physical changes, pushing out oxygen and leaving rich hydrocarbon deposits. What once had been plants gradually turned into coal.

Seams of coal—ranging in thickness from a fraction of an inch to hundreds of feet—may represent hundreds or thousands of years of plant growth. One seam, the seven-foot thick Pittsburgh seam, may represent 2,000 years of rapid plant growth. One acre of this seam contains about 14,000 tons of coal.

History of Coal

North American Indians used coal long before the first settlers arrived in the New World. Hopi Indians, who lived in what is now Arizona, used coal to bake the pottery they made from clay.

European settlers discovered coal in North America during the first half of the 1600s. They used very little at first. Instead, they relied on water wheels and wood to power colonial industries.

Coal became a powerhouse by the 1800s. People used coal to manufacture goods and to power steamships and railroad engines. By the American Civil War, people also used coal to make iron and steel.

And by the end of the 1800s, people even used coal to make electricity.

When America entered the 1900s, coal was the energy mainstay for the nation's businesses and industries. Coal stayed America's number one energy source until the demand for petroleum products pushed petroleum to the front. Automobiles needed gasoline. Trains switched from coal power to diesel fuel. Even homes that used to be heated by coal turned to oil or gas furnaces instead.

Coal production reached its low point in the early 1950s. Since 1973, coal production has increased by more than 80 percent, reaching record highs in 1998. Today, coal supplies almost 23 percent of the nation's total energy needs, mostly for electricity production.


Coal Mining

There are two ways to remove coal from the ground: surface mining and underground mining.


Surface mining is used when a coal seam is relatively close to the surface, usually within 200 feet. The first step in surface mining is to remove and store the soil and rock covering the coal, called the **overburden**. Workers use a variety of equipment—draglines, power shovels, bulldozers, and front-end loaders—to expose the coal seam for mining.

After surface mining, workers replace the overburden, grade it, cover it with topsoil, and fertilize and seed the area. These steps help


HOW COAL WAS FORMED



Before the dinosaurs, many giant plants died in swamps.




Over millions of years, the plants were buried under water and dirt.



Heat and pressure turned the dead plants into coal.

SURFACE MINING



Top Soil

Overburden

Shallow Coal Seam

restore the biological balance of the area and prevent erosion.

The land can then be used for croplands, wildlife habitats, recreation, or as sites for commercial development.

Although only about a third of the nation's coal can be extracted by surface mining, about two-thirds of all coal in the U.S. is mined using this method today. Why? Because surface mining is typically much less expensive than underground mining. With new technologies, productivity has more than tripled since 1973.

Underground (or deep) mining is used when the coal seam is buried several hundred feet below the surface. In underground mining, workers and machinery go down a vertical shaft or a slanted tunnel called a slope to remove the coal. Mine shafts may sink as much as 1,000 feet deep.

One method of underground

mining is called **room-and-pillar mining**. With this method, much of the coal must be left behind to support the mine's roofs and walls. Sometimes as much as half the coal is left behind in large column formations to keep the mine from collapsing.

A more efficient and safer underground mining method, called **longwall mining**, uses a specially shielded machine which allows a mined-out area to collapse in a controlled manner. This method is called longwall mining because huge blocks of coal up to several hundred feet wide can be removed.


Processing and Transporting Coal

After coal comes out of the ground, it typically goes on a conveyor belt to a **preparation plant** that is located at the mining site. The plant cleans and processes coal to remove dirt, rock, ash, sulfur, and

other impurities, increasing the **heating value** of the coal.

After the coal is mined and processed, it is ready to go to market. Transportation is a very important consideration in coal's competitiveness with other fuels because sometimes transporting the coal can cost more than mining it.

Underground pipelines can easily move petroleum and natural gas to market. But that's not so for coal. Huge trains transport most coal (almost 60 percent) for at least part of its journey to market. It is cheaper to transport coal on river barges, but this option isn't always available. Coal can also be moved by trucks and conveyors if the coal mine is close by. Ideally, coal-fired electric power plants are built near coal mines to minimize transportation costs.



COALtypes

Coal is classified into four main types, depending on the amount of carbon, oxygen, and hydrogen present. The higher the carbon content, the more energy the coal contains.

Lignite is the lowest rank of coal, with a heating value of 4,000 to 8,300 British thermal units (Btu) per pound. Lignite is crumbly and has a high moisture content. Most lignite mined in the United States comes from Texas. Lignite is mainly used to produce electricity. It contains 25–35 percent carbon.

Sub-bituminous coal typically contains less heating value than bituminous coal (8,300 to 13,000 Btu per pound) and more moisture. It contains 35–45 percent carbon.

Bituminous coal was formed by added heat and pressure on lignite. Made of many tiny layers, bituminous coal looks smooth and sometimes shiny. It is the most abundant type of coal found in the United States, and has two to three times the heating value of lignite. Bituminous coal contains from 11,000 to

15,500 Btu per pound. Bituminous coal is used to generate electricity, and is an important fuel for the steel and iron industries. It contains 45–86 percent carbon.

Anthracite was created where additional pressure combined with the very high temperature inside the earth. It is deep black and looks almost metallic due to its glossy surface. It is found primarily in the 11 northeastern counties of Pennsylvania. Like bituminous coal, anthracite coal is a big energy producer, containing nearly 15,000 Btu per pound. It contains 86–97 percent carbon.



Coal Reserves

When scientists estimate how much coal, petroleum, natural gas, or other energy sources there are in the United States, they use the term reserves. **Reserves** are deposits that can be harvested using today's methods and technology.

Experts estimate that the United States has about 269 billion tons of recoverable coal reserves. If we continue to use coal at the same rate as we do today, we will have enough coal to last about 270 years. This vast amount of coal makes the United States the world leader in known coal reserves.

Where is all this coal located? Coal deposits can be found in 38 states. Montana has the most coal—about 75 billion mineable tons. Other top coal states in order of known reserves are: Illinois, Wyoming, West Virginia, Kentucky, Pennsylvania, Ohio, Colorado, Texas, and New Mexico.

Western coal generally contains less sulfur than eastern coal. Low sulfur coal produces fewer pollutants.

The federal government is by far the largest owner of the nation's coalbeds. In the West, the federal government owns 60 percent of the coal and indirectly controls another 20 percent.

Coal companies must lease the land from the federal government in order to mine this coal.

Coal Production

Coal production is the amount of coal mined and taken to market. Where does mining take place in the United States? Although coal is mined in 33 states, more coal is mined in western states than in eastern states, a marked change from the past when most coal came from eastern underground mines. The West's share was just five percent of total production in 1968. In 2002, the West provided 55 percent of total production, and states east of the Mississippi provided 45 percent.

Total U.S. production of coal was about one billion tons in 2002, a 60 percent increase since 1973. The leading coal producing states are Wyoming, West Virginia, Kentucky, Pennsylvania, and Texas.

Some coal produced in the United States is exported to other countries. In 2002, foreign countries bought about two percent of all the coal produced in the U.S. The five biggest foreign markets for U.S. coal are Canada, Japan, United Kingdom, Italy, and Brazil.

include uranium (nuclear power), hydropower, natural gas, biomass, and wind.

Another major use of coal is in iron and steelmaking. The iron industry uses coke ovens to melt iron ore. **Coke**, an almost pure carbon residue of coal, is used as a fuel in smelting metals. The United States has the finest coking coals in the world. These coals are shipped around the world for use in coke ovens.

Coal is also used by other industries. The paper, brick, limestone, and cement industries all use coal to make products.

Contrary to what many people think, coal is no longer a major energy source for heating American homes or other buildings. Less than one percent of the coal produced in the U.S. today is used for heating. Coal furnaces, which were popular years ago, have largely been replaced by oil or gas furnaces or by electric heat pumps.

Coal and the Environment

Eventually, as the effects of pollution became more noticeable, Americans decided it was time to balance the needs of industry and the environment.

Over a century ago, concern for the environment was not at the forefront of public attention. For years, smokestacks from electrical and industrial plants emitted pollutants into the air. Coal mining left some land areas barren and destroyed. Automobiles, coming on strong after World War II, contributed noxious gases to the air.


The Clean Air Act and the Clean Water Act require industries to reduce pollutants released into the air and the water. Laws also require companies to reclaim the land damaged by surface mining. Progress has been made toward cleaning and preserving the environment.

The coal industry's largest environmental challenge today is removing organic sulfur, a substance that is chemically bound to coal. All

How Coal Is Used

The main use of coal in the United States is to generate electricity. Today, 91.6 percent of all the coal in the United States is used for electricity production. Coal generates more than half (50.2%) of the electricity used in the U.S. Other energy sources used to generate electricity

COAL CONSUMPTION



SOURCE: ENERGY INFORMATION ADMINISTRATION

CleanCoal*technologies*



Coal is the United States' most plentiful fossil fuel, but traditional methods of burning coal produce emissions that can reduce air and water quality. Using coal can help the United States achieve domestic energy security if we can develop methods to use coal that won't damage the environment.

The Clean Coal Technology Program is a government and industry funded program that was begun in 1986 in an effort to resolve U.S. and Canadian concern over acid rain. Clean coal technologies remove sulfur and nitrogen oxides before, during, and after coal is burned, or convert coal to a gas or liquid fuel. Clean coal technologies are also more efficient, using less coal to produce the same amount of electricity.

Fluidized Bed Combustor

One technique that cleans coal as it burns is a fluidized bed combustor. In this combustor, crushed coal is mixed with lime-

stone and suspended on jets of air inside a boiler. The coal mixture floats in the boiler much like a boiling liquid. The limestone acts like a sponge by capturing 90 percent of the organic sulfur that is released when the coal is burned. The bubbling motion of the coal also enhances the burning process.

Combustion temperatures can be held to 1,500 degrees Fahrenheit, about half that of a conventional boiler. Since this temperature is below the threshold where nitrogen pollutants form, a fluidized bed combustor keeps both sulfur and nitrogen oxides in check.

Coal Gasification

Another clean coal technology bypasses the conventional coal burning process altogether by converting coal into a gas. This method removes sulfur, nitrogen compounds, and particulates before the fuel is burned, making it as clean as natural gas.

fossil fuels, such as coal, petroleum, and natural gas, contain sulfur.

When these fuels are burned, the organic sulfur is released and combines with oxygen to form sulfur dioxide. Sulfur dioxide is an invisible gas that has been shown to have adverse effects on air quality.

The coal industry is working to solve this problem. One method uses scrubbers to remove the sulfur in coal smoke. **Scrubbers** are installed at coal-fired electric and industrial plants where a water and limestone mixture reacts with sulfur dioxide to form a sludge. Scrubbers eliminate up to 98 percent of the sulfur dioxide. Companies spend millions of dollars to install these scrubbers.

The coal industry has made significant improvements in reducing sulfur emissions. Since 1989, coal-fired plants in the United States have lowered sulfur dioxide emissions per ton by 25 percent and have increased efficiency significantly.

Coal plants also recycle millions of tons of fly ash (a coal by-product) into useful products like road building material, cement additives, and in some cases, pellets to be used in oyster beds.

Carbon dioxide is also released when coal is burned, just like it is released from the human body

when we breathe. Carbon dioxide combines with other gases, such as those emitted from automobiles, to form a shield that allows the sun's light and heat in, but doesn't let the heat out. This phenomenon is called the greenhouse effect. Without this greenhouse effect, the earth would be too cold to support life.

Scientists and others are concerned that human activities are causing major changes in greenhouse gas levels in the earth's atmosphere that could cause a change in the earth's climate.

Many scientists believe the earth is already experiencing a warming trend due to the greenhouse effect. Other scientists believe the earth may actually be cooling. Long-term studies by many countries are being conducted to determine the effect of changing greenhouse gas levels in the atmosphere. Scientists are researching new technologies to help prevent changes to the global climate.

Many countries are making commitments to lower greenhouse gas emissions according to the Kyoto agreement reached in 1997.

TOP COAL PRODUCING STATES

